



 VITERRA

Pet's Line



Who We Are

With over 30 years of experience, **Viterra** specializes in the research and development of high-quality veterinary products.

As a result of this trajectory, we have developed two exclusive product lines:

- **Equine Health**, designed for high-performance sport horses, focused on injury prevention and treatment, reducing recovery times, and optimizing performance.
- **Pet's Line**, created to improve the quality of life of dogs and cats by promoting comprehensive, safe, and reliable veterinary care.

Our Vision

Since March 2004, **Viterra** has fully redefined its corporate strategy with the objective of positioning its **veterinary and pet product lines in Argentina, Latin America, Qatar, the United Arab Emirates, and Kuwait**, currently exporting to these regions.

One of its core principles is the development of **research projects** that validate the quality of its products, with continuous reinvestment to ensure **animal health and welfare**, and the integration of the **country's Veterinary Schools** through collaboration with authorities, professors, and future professionals.



Certificado Oficial N° 017-2023 emitido por SENASA GMP / BPPPV
Buenas Prácticas de Fabricación de Productos Veterinarios.

ANTIBIOTICS

CETLE - C	6
DOXIMAS	6
DUOMOXIV	7
GRAMAUT	7
GRAMAUT COMPLEX C	8
ZULDATROP FORTE C	8

ANTIPARASITICS

UNIVERM - C	10
TRITOL FORTE SUSPENSIÓN	10
FANTEL COMPRIMIDOS	11
FANTEL SPOT PIPETA	12
FANTEL DUO SPOT PIPETA	13

ANTI-INFLAMMATORIES

PREDMAG - C	15
VITAPROFENO - C	15

ANTIBIOTICS

1. CETLE - C
2. DOXIMAS
3. DUOMOXIV
4. GRAMAUT
5. GRAMAUT COMPLEX C
6. ZULDATROP FORTE C





CETLE-C

CEPHALOSPORINIC ANTIBIOTIC

FORMULA	DOSE	PRESENTATION
<p>Each 300 mg tablet contains: Cephalexin 250 mg Formulation agents q.s.</p> <p>Each 600 mg tablet contains: Cephalexin 500 mg Formulation agents q.s.</p>	<p>300 mg Tablet (Cephalexin 250 mg): Dogs: 1 tablet every 10 kg of body weight. Cats: ½ tablet every 5 kg of body weight.</p> <p>600 mg Tablet (Cephalexin 500 mg): Dogs: 1 tablet every 20 kg of body weight. Cats: ¼ tablet every 5 kg of body weight.</p>	 <p>10 / 100 / 250 ● tablets</p>



DOXIMAS

BROAD SPECTRUM ANTIBIOTIC BASED ON DOXYCYCLINE

FORMULA	DOSE	PRESENTATION
<p>Each 300 mg tablet contains: Doxycycline (as hyclate) 100 mg Formulation agents q.s.</p> <p>Each 600 mg tablet contains: Doxycycline (as hyclate) 200 mg Formulation agents q.s.</p>	<p>Dogs: 5–10 mg of Doxycycline per kg of body weight. Cats: 5–10 mg of Doxycycline per kg of body weight.</p> <p>300 mg Tablet (Doxycycline 100 mg): Dogs: ¼ tablet up to 5 kg, ½ tablet for 5–10 kg, 1 tablet every 10–20 kg of body weight. Cats: ¼ tablet up to 5 kg, ½ tablet for more than 5 kg of body weight.</p> <p>600 mg Tablet (Doxycycline 200 mg): Dogs: ½ tablet for 10–20 kg, 1 tablet every 20–40 kg of body weight. Cats: ¼ tablet for more than 5 kg of body weight.</p>	 <p>10 / 100 / 250 ● tablets</p>



DUOMOXIV

BROAD SPECTRUM ANTIBIOTIC

FORMULA	DOSE	PRESENTATION
<p>Each 300 mg tablet contains: Amoxicillin (as trihydrate) 100 mg Clavulanic Acid (as potassium salt) 25 mg Formulation agents q.s.</p> <p>Each 600 mg tablet contains: Amoxicillin (as trihydrate) 200 mg Clavulanic Acid (as potassium salt) 50 mg Formulation agents q.s.</p>	<p>Dogs and Cats: 10–20 mg of Amoxicillin per kg of body weight.</p> <p>300 mg Tablet (Amoxicilina 100 mg - Ac. Clavulánico 25 mg): Dogs: 1 tablet every 5–10 kg of body weight. Cats: ½ tablet every 2.5–5 kg of body weight.</p> <p>600 mg Tablet (Amoxicillin 200 mg – Clavulanic Acid 50 mg): Dogs: 1 tablet every 10–20 kg of body weight. Cats: ¼ tablet every 2.5–5 kg of body weight.</p>	 <p>10 / 100 / 250 ● tablets</p>



GRAMAUT

BACTERICIDAL QUINOLONIC ANTIBIOTIC

FORMULA	DOSE	PRESENTATION
<p>Each 200 mg tablet contains: Enrofloxacin 50 mg Formulation agents q.s.</p> <p>Each 600 mg tablet contains: Enrofloxacin 150 mg Formulation agents q.s..</p>	<p>Dogs: 5 mg per kg of body weight. Cats: 5 mg per kg of body weight.</p> <p>200 mg Tablet (Enrofloxacin 50 mg): Dogs: 1 tablet every 10 kg of body weight. Cats: ½ tablet every 5 kg of body weight.</p> <p>600 mg Tablet (Enrofloxacin 150 mg): Dogs: 1 tablet every 30 kg of body weight. Cats: ¼ tablet every 7.5 kg of body weight.</p>	 <p>10 / 100 / 250 ● tablets</p>



GRAMAUT COMPLEX - C

QUINOLONIC ANTIBIOTIC SUPPLEMENTED WITH ANTI-INFLAMMATORY AND BRONCHODILATOR

FORMULA	DOSE	PRESENTATION
<p>Each 150 mg tablet contains: Enrofloxacin 25 mg Prednisolone 5 mg Theophylline 20 mg Formulation agents q.s.</p> <p>Each 300 mg tablet contains: Enrofloxacin 50 mg Prednisolone 10 mg Theophylline 40 mg Formulation agents q.s.</p> <p>Each 600 mg tablet contains: Enrofloxacin 100 mg Prednisolone 20 mg Theophylline 80 mg Formulation agents q.s.</p>	<p>Cats and Dogs: Enrofloxacin: 5 mg per kg of body weight every 12 hours. Prednisolone: 1–2 mg per kg of body weight per day (the total dose can be divided every 12 hours). Theophylline: 4 mg per kg every 12 hours.</p> <p>600 mg Tablet: 1 tablet every 20 kg of body weight. 300 mg Tablet: 1 tablet every 10 kg of body weight. 150 mg Tablet: 1 tablet every 5 kg of body weight.</p>	<p>10 / 100 / 250 ● tablets</p> 



ZULDATROP FORTE - C

ANTIBIOTIC – ANTIPROTOZOAL

FORMULA	DOSE	PRESENTATION
<p>Each 375 mg tablet contains: Metronidazole 125 mg Sulfadimethoxine 125 mg Formulation agents q.s.</p> <p>Each 750 mg tablet contains: Metronidazole 250 mg Sulfadimethoxine 250 mg Formulation agents q.s.</p>	<p>375 mg Tablet: Cats and Dogs: 1 tablet every 5 kg of body weight every 12 hours.</p> <p>750 mg Tablet: Dogs: 1 tablet every 10 kg of body weight every 12 hours. Cats: ½ tablet every 5 kg of body weight every 12 hours.</p>	<p>10 / 100 / 250 ● tablets</p> 

ANTIPARASITICS

1. UNIVERM - C
2. TRITOL FORTE SUSPENSIÓN
3. FANTEL COMPRIMIDOS
4. FANTEL SPOT PIPETA
5. FANTEL DUO SPOT PIPETA





UNIVERM - C

ENDECTOCIDE ANTIPARASITIC

FORMULA	DOSE	PRESENTATION
<p>Each 300 mg tablet contains: Ivermectin 3 mg Formulation agents q.s.</p> <p>Each 600 mg tablet contains: Ivermectin 6 mg Formulation agents q.s.</p>	<p>Cats and Dogs: 3 mg per kg of body weight, single dose.</p> <p>300 mg Tablet: Dogs: 1 tablet every 10 kg of body weight. Cats: ½ tablet every 5 kg of body weight.</p> <p>600 mg Tablet: Dogs: 1 tablet every 20 kg of body weight. Cats: ¼ tablet every 5 kg of body weight.</p>	 <p>10 / 100 / 250 tablets</p>



TRITOL FORTE SUSPENSIÓN

BROAD SPECTRUM INTERNAL ANTIPARASITIC

FORMULA	DOSE	PRESENTATION
<p>Each 100 mL contains: Febantel 3,75 g Pyrantel pamoate 10,80 g (equivalent to 3.75 g of Pyrantel) Toltrazuril 5,00 g Formulation agents q.s.</p>	<p>Cats and Dogs: 0.4 mL per kg of body weight, equivalent to: 15 mg of Febantel per kg of body weight 15 mg of Pyrantel pamoate per kg of body weight 20 mg of Toltrazuril per kg of body weight</p>	 <p>20 ml / 50 ml 100 ml / 250 ml suspensión</p>



FANTEL COMPRIMIDOS

EXTERNAL ANTIPARASITIC

FORMULA	DOSE	ACCIN
<p>Each 270 mg tablet contains: Fluralaner 112,5 mg Natural flavoring Formulation agents q.s.</p> <p>Each 600 mg tablet contains: Fluralaner 250 mg Natural flavoring Formulation agents q.s.</p> <p>Each 1200 mg tablet contains: Fluralaner 500 mg Natural flavoring Formulation agents q.s.</p>	<p>Dogs: 25–56 mg de Fluralaner per kg of body weight.</p> <p>Mini Dog: One 270 mg tablet (Fluralaner 112.5 mg) for 2–4.5 kg of body weight.</p> <p>Small Dog: One 600 mg tablet (Fluralaner 250 mg) for 4.6–10 kg of body weight.</p> <p>Medium Dog: One 1200 mg tablet (Fluralaner 500 mg) for 10.1–20 kg of body weight.</p> <p>Large Dog: Two 1200 mg tablets (Fluralaner 1000 mg) for 20.1–40 kg of body weight.</p> <p>Giant Dog: Four 1200 mg tablets (Fluralaner 2000 mg) for over 40 kg of body weight.</p>	 <div style="display: flex; gap: 10px;">    </div> <p>Pulguicide Tick-killing agent Acaricide</p>



FANTEL SPOT PIPETA

EXTERNAL ANTIPARASITIC

FORMULA	DOSE	ACCIÓN
<p>Each 0.45 mL pipette contains: Fluralaner (4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-[2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl]-benzamide) 112.5 mg Formulation agents q.s.</p> <p>Each 1.00 mL pipette contains: Fluralaner (4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-[2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl]-benzamide) 250 mg Formulation agents q.s.</p> <p>Each 2.00 mL pipette contains: Fluralaner (4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-[2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl]-benzamide) 500 mg Formulation agents q.s.</p> <p>Each 4.00 mL pipette contains: Fluralaner (4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-[2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl]-benzamide) 1000 mg Formulation agents q.s.</p>	<p>Dogs: 25–56 mg of Fluralaner per kg of body weight.</p> <p>Mini Dog: One 0.45 mL pipette (Fluralaner 112.5 mg) for 2–4.5 kg of body weight.</p> <p>Small Dog: One 1.00 mL pipette (Fluralaner 250 mg) for 4.6–10 kg of body weight.</p> <p>Medium Dog: One 2.00 mL pipette (Fluralaner 500 mg) for 10.1–20 kg of body weight.</p> <p>Large Dog: One 4.00 mL pipette (Fluralaner 1000 mg) for 20.1–40 kg of body weight.</p> <p>Giant Dog: Two 4.00 mL pipettes (Fluralaner 2000 mg) for over 40 kg of body weight.</p>	    <p>Pulguicida Tick-killing agent Acaricida</p>



FANTEL DUO SPOT PIPETA

EXTERNAL AND INTERNAL ANTIPARASITIC

FORMULA	DOSE	ACCIÓN
<p>Each 0.40 mL pipette contains: Fluralaner (4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-[2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl]-benzamide) 96 mg Ivermectin 1.2 mg Formulation agents q.s.</p> <p>Each 0.85 mL pipette contains: Fluralaner (4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-[2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl]-benzamide) 204 mg Ivermectin 2.5 mg Formulation agents q.s.</p> <p>Each 1.70 mL pipette contains: Fluralaner (4-[5-(3,5-dichlorophenyl)-4,5-dihydro-5-(trifluoromethyl)-3-isoxazolyl]-2-methyl-N-[2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl]-benzamide) 408 mg Ivermectin 5.1 mg Formulation agents q.s.</p>	<p>Cats: 40–90 mg of Fluralaner per kg of body weight. 0.5–1.0 mg of Ivermectin per kg of body weight.</p> <p>1 pipette of 0.40 mL (Fluralaner 96 mg and Ivermectin 1.2 mg) for cats from 1.2–2.4 kg of body weight.</p> <p>1 pipette of 0.85 mL (Fluralaner 204 mg and Ivermectin 2.5 mg) for cats from 2.5–5 kg of body weight.</p> <p>1 pipette of 1.70 mL (Fluralaner 408 mg and Ivermectin 5.1 mg) for cats from 5.1–10 kg of body weight.</p>	 <div style="display: flex; gap: 10px; margin-top: 10px;">    </div> <p>Pulguicide Tick-killing agent Sarcoptic mange treatment Endoparasiticide</p>

ANTI-INFLAMMATORIES

1. PREDMAG -C
2. VITAPROFENO -C





PREDMAG - C

GLUCOCORTICOID ANTI-INFLAMMATORY

FORMULA	DOSE	PRESENTATION
<p>Each 150 mg tablet contains: Prednisolone 10 mg Formulation agents q.s.</p> <p>Each 300 mg tablet contains: Prednisolone 20 mg Formulation agents q.s.</p>	<p>Inflammatory and allergic conditions: One 150 mg tablet per 10 kg of body weight or one 300 mg tablet per 20 kg of body weight, equivalent to 1 mg of Prednisolone/kg/day once or twice a day.</p> <p>Autoimmune diseases: One to two 150 mg tablets per 5 kg of body weight or one to two 300 mg tablets per 10 kg of body weight, equivalent to 2–4 mg of Prednisolone/kg/day.</p>	 <p>10 / 100 / 250 tablets</p>



VITAPROFENO - C

NONSTEROIDAL ANTI-INFLAMMATORY

FORMULA	DOSE	PRESENTATION
<p>Each 300 mg tablet contains: Ketoprofen 20 mg Formulation agents q.s.</p>	<p>1 tablet every 20 kg of body weight, equivalent to 1 mg of Ketoprofen per kg of body weight.</p> <p>The scored tablet formulation allows the dosage to be adjusted appropriately according to the animal's weight.</p>	 <p>10 / 100 / 250 tablets</p>



Official Certificate No. 017-2023 issued by SENASA – GMP / BPPPV
Good Manufacturing Practices for Veterinary Products.



Pet's Line

Laboratorios Agroinsumos S.A.
Caldas 175 (C1427AGA), CABA, Argentina
Tel: (+5411) 4855-9410
info@laboratoriosagroinsumos.com
www.viterra.com.ar



/laboratoriosagroinsumossa